



## SLEEVE WRAPAROUND CARTONER Model MP-70

The **MP-70** is a fully automatic, intermittent sleeve wraparound cartoner that handles up to 50 sleeves per minute. With a magazine that can handle up to 1,000 cartons, the MP-70 is fully AC motor and servo system controlled and enables fast changing of carton size (within 10 -15 minutes).

Easy and simple to set up, operate and maintain, the MP-70 achieves a nice pack and full area for printing, with the seal area remaining invisible.

The MP-70 can be supplied with different type of feeders, including: pick & place, side pusher or any other rotary side pusher.



**WE DESIGN FOR HUMAN SAFETY - THAT IS OUR MAIN GOAL**

## Technical Data

- AC motors.
- In feed conveyor.
- Automatic product feeding with different type of Operating Systems.
- Full diagnostic fault alarm.
- Generator vacuum source.
- HMI 7" touch screen.
- Adjustable Carton magazine.
- Hot melt glue system.
- Stainless steel construction.
- CE mark.

## Options

- Right Left version available.
- Fully servo system.
- Partial wrap around.

## Applications

Bottles, jars, cans, plastic containers, trays, etc.  
Any configuration can be considered:

- 2,3,4 side pack. • 1 or 2 rows. • 1-2 layers.

## Specifications

**Production speed:** Up to 50 Wraps Per Minute.

**Net weight:** 850 KG.

### ELECTRICAL REQUIREMENTS:

**Input Power:**

380 V, 3 Phase

50/60 Hz, 4 KW.

other possibilities also available.

### WRAP SIZE RANGE:


**Minimum:**

(L) 60mm (2.3") (W) x 60mm (2.3") (H) x 30mm (1.18")

**Maximum:**

(L) 280mm (11") (W) x 200mm (8") (H) x 200mm (8")

Special application upon request.



### AIR REQUIREMENTS:

Operating pressure: 88psi (6 atm)

Line pressure: 103 psi (7 atm)

Air consumption: 200 L/min at 6 bar

Hot melt air pressure 20-59 psi (1.4 - 4 atm)

